


EXPOSED SURFACE



NOTE:-

$0 = 2.29R$

LOCATION:-P1 - 1HOLE
 ALL DIMENSION ARE IN M.M.
 UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER BS EN 755-9:2008
 UNLESS SPECIFIED

TWIST = $\pm 1/4^\circ/300$ M.M./M.
 STRAIGHTNESS = 1.50 M.M./MTR.
 ANGULARITY = $\pm 1.5^\circ$

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		70-007707-00B		PARTY NAME		M/S CARYAIRE		REF:-AS PER EMAIL ON DT.-15.10.09	
				DRAWN	DHARMVIR	16.10.09	AREA	317.00	MM ²
				CHECKED	<i>[Signature]</i>	25.11.09	WEIGHT	0.856	KG/M.
				APPROVED	<i>[Signature]</i>	25.11.09	WT. RANGE	-----	Kg/12'
				SCALE	1:1	DATE	ALLOY	6063-T6	
00	(REF.)	CRITICAL DIM. *					MAL NO	11437	
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.	-----	SEC.NO.	D-4844	
		REVISION			EXT.	313.30			