



DETAIL A
SCALE 5 : 1



DETAIL B
SCALE 5 : 1



LOCATION:- P3 - 1HOLE
ALL DIMENSION ARE IN M.M.
UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER BS EN 755-9:2008
UNLESS SPECIFIED

TWIST=± 1/4°/300 M.M./M.
STRAIGHTNESS= 1.50 M.M./MTR.
ANGULARITY=± 1.5°

NOTE:-
 $r = 0.40R$
 $R = 0.50R$

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG. AGV/SEC/PROFILE/4-08		PARTY NAME M/S AGV ALFAB			REF:- AS PER IOM Dt.-14.05.12		
		DRAWN	DHARMVIR	17.05.12	AREA	176.30	MM ²
		CHECKED	<i>[Signature]</i>	20.10.11	WEIGHT	0.476	KG/M.
	(B)	APPROVED	<i>[Signature]</i>	20.10.11	WT. RANGE	-----	KG/12
	(A)	SCALE	1:1,3:1&5:1	DATE	ALLOY	6063-T6	
001	(REF.)	AS PER EMAIL ON Dt.-24.07.12	CRITICAL DIM.	*	MAL NO	12947	
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	INT.			
		REVISION	PERIMETER	EXT.	250.26	SEC.NO.	D-5597