



LOCATION:-P1 - 4HOLE  
 ALL DIMENSION ARE IN M.M.  
 UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER BS EN 755-9:2008  
 UNLESS SPECIFIED

TWIST  $\square = \pm 1/4^\circ / 300 \text{ M.M. / M.}$   
 STRAIGHTNESS  $\square = 1.50 \text{ M.M. / MTR.}$   
 ANGULARITY  $\square = \pm 1.5^\circ$

**INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019**

PARTY SAMPLE & DRG. EH004		PARTY NAME M/S AJAY INDUSTRIAL			REF:- AS PER EMAIL ON Dt.-27.01.11			
			DRAWN	DHARMVIR	28.01.11	AREA	142.37 MM <sup>2</sup>	
	(B)	DIM. 8.00 WAS 6.00mm		CHECKED		7-5-14	WEIGHT	0.384 KG/M.
002		AS PER EMAIL ON Dt.-24.04.14		APPROVED		7-5-14	WT. RANGE	----- Kg/12
	(A)	<sup>+0.30</sup> TOL. -0.10 WAS $\pm 0.25$		SCALE	1:1 & 2:1	DATE	ALLOY	6060-T6
001	(REF.)	AS PER EMAIL ON Dt.-28.01.11		CRITICAL DIM.	*		MAL NO	12086
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.	25.13	SEC.NO.	D-6093
		REVISION			EXT.	55.00		