



NOTE:-

$r = 0.41R$

F= Full Radius

PLEASE SPECIFY THE EXPOSED SURFACE

LOCATION:-P1 - I HOLE
ALL DIMENSION ARE IN mm.
UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER BS EN 755-9:2008
UNLESS SPECIFIED

TWIST=±1/4°/300 M.M./M.
FLATNESS= WIDTH X 0.005mm.
STRAIGHTNESS= 1.50 M.M./MTR.
ANGULARITY=±1.5°

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		70-022249-00B	PARTY NAME		M/S RUSKIN TITUS (I) PVT. LTD.	REF:- AS PER EMAIL ON Dt.-21.02.14	
			DRAWN	DHARMVIR	24.02.14	AREA	357.00 MM ²
			CHECKED	<i>[Signature]</i>	17-6-14	WEIGHT	0.964 KG/M.
			APPROVED	<i>[Signature]</i>	17-6-14	WT. RANGE	----- Kg/12
			SCALE	1:1 & 1.5:1	DATE	ALLOY	6063-T6
0.0	(REF.)		CRITICAL DIM.		*	MAL NO	14131
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.	SEC.NO.	D-6115
A3		REVISION			EXT.	316.02	