



NOTE:-

$r = 0.30R$
 $O = 0.40R$

PLEASE SPECIFY THE EXPOSED SURFACE

LOCATION:-P1 - 4HOLE
 ALL DIMENSION ARE IN mm.
 UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER BS EN 755-9:2008
 UNLESS SPECIFIED

TWIST=±1/4°/300 M.M./M.
 FLATNESS= WIDTH X 0.005mm.
 STRAIGHTNESS= 1.50 M.M./MTR.
 ANGULARITY=±1.5°

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		EXT-15568-01	PARTY NAME M/S ANTARCTICA EQUIPMENT		REF:- AS PER EMAIL ON Dt.-10.07.15		
			DRAWN	DHARMVIR	11.07.15	AREA	113.95 MM ²
			CHECKED	<i>[Signature]</i>		WEIGHT	0.308 KG/M.
			APPROVED	<i>[Signature]</i>	12/3/16	WT. RANGE	----- Kg/12
		V GROOVE ADD.	SCALE	1:1 & 4:1	DATE	ALLOY	6063-T6
001	(REF.)	AS PER EMAIL ON Dt.-03.02.16	CRITICAL DIM. *			MAL NO	15047
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.	SEC.NO.	D-6593
A4		REVISION			EXT.		