



PLEASE SPECIFY THE EXPOSED SURFACE

LOCATION:-P3 - 6HOLE
 ALL DIMENSION ARE IN mm.
 UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER BS EN 755-9:2008
 UNLESS SPECIFIED

TWIST= $\pm 1/4^\circ/300$ M.M./M.
 FLATNESS= WIDTH X 0.005mm.
 STRAIGHTNESS= 1.50 M.M./MTR.
 ANGULARITY= $\pm 1.5^\circ$

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		SAMPLE		PARTY NAME M/S PERFECT SOLUTIONS			REF:- AS PER IOM Dt.-11.02.16	
				DRAWN	DHARMVIR	16.02.16	AREA	37.75 MM ²
				CHECKED	<i>[Signature]</i>		WEIGHT	0.102 KG/M.
				APPROVED	<i>[Signature]</i>	12/11/16	WT. RANGE	----- Kg/12
				SCALE	1:1 & 5:1	DATE	ALLOY	6063-T6
OO	(REF.)			CRITICAL DIM. *			MAL NO	15374
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.		SEC.NO.	D-6617
A4		REVISION			EXT.	61.42		