


NOTE:-

$r = 0.25R$


$R = 0.50R$

F= Full Radius



1

55.1 ±0.40



PLEASE SPECIFY THE EXPOSED SURFACE

LOCATION:-P2 - 2HOLE
ALL DIMENSION ARE IN mm.
UNSPECIFIED CORNER RADIUS:0.40

TOL. AS PER BS EN 755-9:2008
UNLESS SPECIFIED

TWIST=±1/4°/300 M.M./M.
FLATNESS= WIDTH X 0.005mm.
STRAIGHTNESS= 1.50 M.M./MTR.
ANGULARITY=±1.5°

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		SAMPLE	PARTY NAME M/S RUSKIN TITUS			REF:- AS PER IOM Dt.-11.04.16		
			DRAWN	DHARMVIR	13.04.16	AREA	127.69	MM ²
			CHECKED	<i>[Signature]</i>		WEIGHT	0.345	KG/M.
			APPROVED	<i>[Signature]</i>	21/11/16	WT. RANGE	-----	Kg/12
		SHAPE MODIFIED	SCALE	1:1 & 3:1	DATE	ALLOY	6063-T6	
001	(REF.)	AS PER EMAIL ON Dt.-02.05.16	CRITICAL DIM.	*		MAL NO	15462	
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.	SEC.NO.	D-6677	
A4		REVISION			EXT.			213.27