


P-24278


-

D-7524



1. STRAIGHTNESS=1.7mm/M
2. TWIST=1.7mm/M
3. ANGULARITY= $\pm 2^\circ$
4. FLATNESS =0.007xWIDTH

1) THE WELDING LINE IN THE EXPOSED SURFACE OF PROFILE IS UNAVOIDABLE. 2) PLEASE SPECIFY IMPORTANT SIZES.
 3) PLEASE SPECIFY IF THIS PROFILE MATCHES WITH OTHER PROFILES. 4) PLEASE SPECIFY EXPOSED SURFACE. OTHER
 WISE CONSIDERED AS NO EXPOSED SURFACE. 5) FINISH :- MILL FINISH / ANODIZING / POWDER COATING

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	NAME	DATE
		DRAWN	SURENDRA 15-07-2022
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477:1983 , UNLESS OTHERWISE SPECIFIED		CHECKED	<i>Junil</i> 22.7.22
		APPROVED	<i>AKA</i> 22.7.22
		SCALE	1:1
PARTY'S NAME ALUMINIUM TRADING COMPANY.,NEW DELHI		AREA mm ²	612.0
		PERIMETER mm.	214.9699
PARTY'S DRAWING No. AS PER DRAWING		WEIGHT kg/m	1.652
		DRAWING No.	SECTION No.
ALLOY & TEMPER 6063 T6		P-24278	D-7524
		-	-
DESCRIPTION DOOR FRAME SECTION		PRODUCT CODE:-045	
		HSN CODE:-76042100	