



F = FULL RADIUS (2 PLACES)
 * = 1.0 RADIUS (2 PLACES)
 @ = MATCHING DIMENSION

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>	<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	DRAWN	L.P.KAUSHIK	DATE	09-04-2013
		CHECKED			
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983, UNLESS OTHERWISE SPECIFIED</p>		APPROVED	S.S.GARG		16-04-2013

PARTY'S NAME	SAVEER BIOTECH LTD., NOIDA	SCALE	1:1
PARTY'S DRAWING No.	SKYSV/IIM/01 HOLLOW	AREA mm ²	1256.998
ALLOY & TEMPER	HE9 WP	PERIMETER mm.	850.066
DESCRIPTION	ALUMINIUM PAD FRAME	WEIGHT kg/m	3.394
		DRAWING No.	P-12644-1
		SECTION No.	E0105

