




P-12800-1

E0111



EXPOSED SURFACE
BETTER FINISH REQUIRED



EXPOSED SURFACE
BETTER FINISH REQUIRED

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS	
UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75
	UPTO 120.0mm - ±0.85
	UPTO 160.0mm - ±1.02
	UPTO 200.0mm - ±1.14
	UPTO 250.0mm - ±1.40
	UPTO 300.0mm - ±1.65
	UPTO 320.00mm - ±1.70

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>	
<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED</p>	
PARTY'S NAME	GSC GLASS PVT. LTD., NOIDA
PARTY'S DRAWING No.	M50449 REV B26
ALLOY & TEMPER	HE9 WP
DESCRIPTION	ARCHITECTURAL SECTION

DRAWN	NAME	DATE
CHECKED		
APPROVED	S.S.GARG	28-05-2013
SCALE		1:1
AREA	mm ²	3713.699
PERIMETER	mm.	649.735
WEIGHT	kg/m	10.027
DRAWING No.		SECTION No.
P-12800-1		-
E0111		E0111