


V = VEE GROOVE 0.3x90° (1 PLACE)  
 X = RADIUS 0.3 mm. (16 PLACES)  
 y = RADIUS 1.5 mm. (3 PLACES)  
 ----- EXPOSED SURFACE



**DETAIL OF "A"**  
 SCALE 3:1

**TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS**

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	1. STRAIGHTNESS=1.7mm/M 2. TWIST=1.7mm/M 3. ANGULARITY= ±2° 4. FLATNESS =0.007xWIDTH
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

<b>JINDAL</b> SYMBOL OF QUALITY AN ISO 9001 COMPANY		<b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)		DRAWN <b>PARVESH</b>	DATE 03-12-2014
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 , UNLESS OTHERWISE SPECIFIED				CHECKED APPROVED S.S.GARG	SCALE 1:1
PARTY'S NAME ALUFIT (INDIA) PRIVATE LIMITED, BANGALORE	PARTY'S DRAWING No. AS PER AUTOCAD DRAWING-GD-18	AREA mm <sup>2</sup> 957.952	PERIMETER mm. 421.534	WEIGHT kg/m 2.586	DRAWING No. P-14168
ALLOY & TEMPER 6063 T6	DESCRIPTION CURTAIN WALL SECTION-SUNSHADE BKT.	DRAWING No. E0236	SECTION No. E0236		