



P-16685

E0580



SCALE: - 1:1



V = VEE GROOVE 0.3x90° (1 PLACE)

1. STRAIGHTNESS=1.0mm/M
2. TWIST=1.0mm/M
3. ANGULARITY= $\pm 1^\circ$
4. FLATNESS =0.007xWIDTH

UNSPECIFIED CORNERS RADIUS WILL BE 0.40 mm.



SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	PARVESH	06-01-2017
CHECKED		
APPROVED	B.NATARJA	10-01-2017
SCALE		2:1
AREA mm ²		196.372
PERIMETER mm.		248.842
WEIGHT kg/m		0.530
DRAWING No.	SECTION No.	
P-16685	-	
E0580	E0580	

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.
3. TOLERANCES WILL BE AS PER IS:3965-1981 , UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	ALUFIT (INDIA) PRIVATE LIMITED, BANGALORE
PARTY'S DRAWING No.	AS PER AUTOCAD DRAWING-AL-OR-24
ALLOY & TEMPER	6063 T6
DESCRIPTION	CURTAIN WALL SECTION-SP. SPACER AT CILL