




P-16955

E0633



1. STRAIGHTNESS=1.0mm/M
2. TWIST=1.0mm/M
3. ANGULARITY=  $\pm 1^\circ$
4. FLATNESS =0.007xWIDTH

V = VEE GROOVE 0.3x90° (1 PLACE)

**ROUND OFF ALL SHARP CORNERS WITH 0.30 mm.**



SYMBOL OF QUALITY  
AN ISO 9001 COMPANY

**JINDAL ALUMINIUM LTD.**  
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	PARVESH	01-04-2017
CHECKED		
APPROVED	B.NATARAJA	08-04-2017
SCALE		2:1
AREA	mm <sup>2</sup>	137.357
PERIMETER	mm.	154.764
WEIGHT	kg/m	0.371
DRAWING No.	SECTION No.	
P-16955	-	
E0633	E0633	

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.30 mm.
3. TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	ALUFIT (INDIA) PRIVATE LIMITED, BANGALORE
PARTY'S DRAWING No.	AS PER AUTOCAD DRAWING-(ICC)-AL-12
ALLOY & TEMPER	6063 T6
DESCRIPTION	CURTAIN WALL SECTION-HEAD TRANSOM EDGE GUARD