


DETAIL OF "A"
SCALE 2:1



X = RADIUS 0.3 mm. (6 PLACES)

* = RADIUS 2.0 mm. (3 PLACES)

V = VEE GROOVE 0.3x90° (4 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>		<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED</p>			
PARTY'S NAME		ALUFIT (INDIA) PRIVATE LIMITED, BANGALORE	
PARTY'S DRAWING No.		AS PER AUTOCAD DRAWING-ALT-CW-01	
ALLOY & TEMPER		6063 T6	
DESCRIPTION		CURTAIN WALL SECTION	

SCALE	1:1
AREA mm ²	1302.281
PERIMETER mm.	852.526
WEIGHT kg/m	3.516
DRAWING No.	P-17290-1
SECTION No.	E0730
DRAWN	J.P.KAUSHIK
DATE	21-06-2017
CHECKED	
APPROVED	B.NATARAJA
	27-06-2017