



F = FULL RADIUS(8 PLACES)  
 \* = 1.0 RADIUS(6 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>	<p><b>JINDAL ALUMINIUM LTD.</b></p> <p>BANGALORE-560073 (INDIA)</p>	
	<p>1. ALL DIMENSIONS ARE IN mm.                  2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.                  3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED</p>	<p>SCALE</p> <p>1:1</p>
<p>PARTY'S NAME</p> <p>AUTO INGRESS, KANCHEEPURAM</p>	<p>AREA mm<sup>2</sup></p> <p>1405.904</p>	<p>PERIMETER mm.</p> <p>810.653</p>
<p>PARTY'S DRAWING No.</p> <p>AS PER DRAWING</p>	<p>WEIGHT kg/m</p> <p>3.796</p>	<p>SECTION No.</p> <p>-</p>
<p>ALLOY &amp; TEMPER</p> <p>6063 T6</p>	<p>DRAWING No.</p> <p>P-17602</p>	<p>SECTION No.</p> <p>-</p>
<p>DESCRIPTION</p> <p>MISC. SECTION</p>	<p>E0761</p>	<p>E0761</p>

