


P-19971-3

E1233



UNSPECIFIED RADIUS 0.5 mm

* = 1.0 RADIUS (6 PLACES)

V= V GROOVE 0.3x90° (2 PLACES)

DIMENSION		TOLERANCES (EXCEPT OPEN ENDS)	TOLERANCES (OPEN ENDS)	
OVER	UP TO AND INCLUDING		E≤60	60<E≤120 ^Q
-	10	±0.15	±0.15	-
10	15	±0.20	±0.20	-
15	30	±0.25	±0.25	-
30	45	±0.30	±0.30	±0.45
45	60	±0.40	±0.40	±0.55
60	90	±0.45	±0.45	±0.65
90	120	±0.60	±0.60	±0.80
120	150	±0.80	±0.80	±1.0
150	180	±1.0	±1.0	±1.3
180	240	±1.2	±1.2	±1.5
240	300	±1.5	±1.5	±1.8



SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	J.P.KAUSHIK	20-09-2019
CHECKED		
APPROVED	B.NATARAJA	16-11-2019

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER BS:EN-12020-2 , UNLESS OTHERWISE SPECIFIED

SCALE	1:1
AREA mm ²	368.52
PERIMETER mm.	270.691
WEIGHT kg/m	0.995

PARTY'S NAME	EUROPEAN FACADE PRODUCTS, NETHERLANDS
PARTY'S DRAWING No.	EFP 50 CW/EPF 55 WINDOW SYSTEMS 14.310
ALLOY & TEMPER	6063 T6
DESCRIPTION	CORNER CLEAT 4.5 mm SECTION

DRAWING No.	SECTION No.
P-19971-3	-
E1233	E1233