



P-24256

G100321



- c = CHAMFER 1x45° (2 PLACES)
1. STRAIGHTNESS=1.7mm/M
  2. TWIST=1.7mm/M
  3. ANGULARITY= ±2°
  4. FLATNESS =0.007xWIDTH



SYMBOL OF QUALITY  
AN ISO 9001 COMPANY

**JINDAL ALUMINIUM LTD.**  
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	J.P.KAUSHIK	14-07-2022
CHECKED		
APPROVED	B.NATARAJA	30-08-2022

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:6477-1983, UNLESS OTHERWISE SPECIFIED

SCALE	2:1
AREA mm <sup>2</sup>	513.771
PERIMETER mm.	289.057
WEIGHT kg/m	1.387

PARTY'S NAME	NKG INFRASTRUCTURE LTD., NEW DELHI		DRAWING No.	SECTION No.
PARTY'S DRAWING No.	NKG-DW-01		P-24256	7000000435
ALLOY & TEMPER	6063 T6	PRODUCT CODE:-048	G100321	G100321
		HSN CODE:-76042100		
DESCRIPTION	WINDOW SECTION (OUTER)			