


P-18486-6


G100692



V = V GROOVE 0.3x90° (3 PLACES)
 * = 1.0 RADIUS(8 PLACES)

1. STRAIGHTNESS=1.7mm/M
2. TWIST=1.7mm/M
3. ANGULARITY= ±1.5°
4. FLATNESS =0.007xWIDTH

CONTROLLED COPY

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)		NAME	DATE
			DRAWN	J.P.KAUSHIK
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED			CHECKED	
			APPROVED	B.NATARAJA
PARTY'S NAME KALZIP INDIA PVT. LTD., GURGAON			SCALE	1:1
			AREA mm ²	1145.716
PARTY'S DRAWING No. KZ-0-COMP-IND-1-011 REV A			PERIMETER mm.	516.394
			WEIGHT kg/m	3.093
ALLOY & TEMPER 6061 T6			DRAWING No.	SECTION No.
			P-18486-6	7000000829
DESCRIPTION ST. CLIP EXTRUSION TYPE L140			G100692	G100692
PRODUCT CODE:-029 HSN CODE:-76042990				