

DETAIL C
SCALE 3:1


* TOLERANCE ON THICKNESS 2.25 ^{+0.3}/_{-0.2}

☞ THICKNESS LESS THEN 2mm WILL NOT BE ACCEPTED


NOTE:-

- R= 1.0 RADIUS (7 PLACES)
- S= 1.5 RADIUS (2 PLACES)
- F= FULL RADIUS (1 PLACE)
- V= 0.3x90° V-GROOVE (4 PLACES)

1. STRAIGHTNESS= 1.7mm/M
2. TWIST= 1.7mm/M
3. ANGULARITY= ±2°
4. FLATNESS= 0.007xWIDTH



DETAIL A
SCALE 3:1




DETAIL B
SCALE 3:1

(Q00751)

UNCONTROLLED COPY

1) THE WELDING LINE IN THE EXPOSED SURFACE OF PROFILE IS UNAVOIDABLE. 2) PLEASE SPECIFY IMPORTANT SIZES. 3) PLEASE SPECIFY IF THIS PROFILE MATCHES WITH OTHER PROFILES. 4) PLEASE SPECIFY EXPOSED SURFACE. OTHER WISE CONSIDERED AS NO EXPOSED SURFACE. 5) FINISH :- MILL FINISH / ANODIZING / POWDER COATING

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BHIWADI-301019 (INDIA)	NAME	DATE
		DRAWN	ASHUTOSH 02-09-2023
		CHECKED	PARVESH 11-10-2023
		APPROVED	J.N.RAI 11-10-2023
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER BS:EN-755-9, UNLESS OTHERWISE SPECIFIED		SCALE	1:1
		AREA mm ²	1012.82
		PERIMETER mm.	628.33
		WEIGHT kg/m	2.735
PARTY'S NAME	AASTHA ALUMINA (P) LTD., GURGAON	DRAWING No.	SECTION No.
PARTY'S DRAWING No.	AS PER AUTOCAD DRAWING-AA-MM-AL-01	P-JAL-B-282-2	7000001627
ALLOY & TEMPER	6063 T6	G101474	G101474
	PRODUCT CODE:-055		
	HSN CODE:- 76042100		
DESCRIPTION	CURTAIN WALL SECTION-MALE MULLION		