



P-JAL-B-662

G102606



DETAIL A
SCALE 2:1

NOTE:-

- r= 0.5 RADIUS (2 PLACES)**
- R= 1.0 RADIUS (4 PLACES)**
- C= 2x45° CHAMFER (1 PLACE)**
- V= 0.4x90° V-GROOVE (1 PLACE)**


TOLERANCE CHART CD = CIRCUMSCRIBING CIRCLE

DIMENSION	CD<100	100<CD<200	200<CD<300	300<CD<500
UPTO 10mm	±0.25	±0.30	±0.35	±0.40
10.0 -25.0	±0.30	±0.40	±0.50	±0.60
25.0 -50.0	±0.50	±0.60	±0.80	±0.90
50.0 -100	±0.70	±0.90	±1.10	±1.30
100 - 150	-	±1.10	±1.30	±1.50
150 - 200	-	±1.3	±1.50	±1.80
200 - 300	-	-	±1.70	±2.10
300 - 450	-	-	-	±2.80

☞ ROUND OFF ALL SHARP CORNERS WITH 0.30 mm.

Q02069
CONTROLLED COPY

- 1. STRAIGHTNESS= 1.7mm/M
- 2. TWIST= 1.7mm/M
- 3. ANGULARITY= ±2°
- 4. FLATNESS= 0.007xWIDTH

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BHIWADI-301019 (INDIA)	NAME	DATE
		DRAWN	ASHUTOSH 24-07-2024
		CHECKED	PARVESH 05-08-2024
		APPROVED	J.N.RAI 05-08-2024
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.30 mm. 3. TOLERANCES WILL BE AS PER BS:EN-755-9 , UNLESS OTHERWISE SPECIFIED		SCALE	1:1
		AREA mm ²	222.821
		PERIMETER mm.	204.53
		WEIGHT kg/m	0.602
PARTY'S NAME	K.S.V. INFRABUILD GREATER NOIDA	DRAWING No.	SECTION No.
PARTY'S DRAWING No.	AS PER DRAWING - KSV_OPUS_11	P-JAL-B-662	7000002779
ALLOY & TEMPER	6063 T6	G102606	G102606
DESCRIPTION	CURTAIN WALL SECTION		