



NOTE:-
 O = 1.50R
 V = 0.5X1.0X90°

TOLERANCE ON CUT LENGTH = ±5mm.

LOCATION-P1-1HOLE
 ALL DIMENSION ARE IN M.M.
 UNSPECIFIED CORNER RADIUS:0.40

PLEASE SPECIFY THE EXPOSED SURFACE
 TOL. AS PER BS EN 755-9:2008
 UNLESS SPECIFIED

TWIST = 114°/300 M.M.
 FLATNESS = WIDTH X 0.005mm.
 STRAIGHTNESS = 1.50 M.M./MTR.
 ANGULARITY = ±1.5°

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		DRAWING	PARTY NAME		M/s. Pivot Solutions	REF:-	AS PER EMAIL DT.- 20.06.18	
				DRAWN	VIVEK YADAV	20.06.18	AREA	1072.65 MM ²
				CHECKED	<i>[Signature]</i>		WEIGHT	2.896 KG/M.
				APPROVED	<i>[Signature]</i>	01/8/18	WT. RANGEA	----- Kg/12'
001	(A)	R3.75 WAS R3.50	<i>[Signature]</i>	SCALE	1:1	DATE	ALLOY	6063-T6
	(REF.)	AS PER EMAIL DT.- 05.07.18		CRITICAL DIM.	*		MAL NO.	17224
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.	-----	SEC.NO.	G-883
		REVISION			EXT.	634.45		