




P-15986-1

S5037



AVERAGE THICKNESS HAS TO BE MAINTAINED WITH IN ± 0.20 mm. OF THE NOMINAL VALUE.

V = VEE GROOVE $0.40 \times 90^\circ$ (3 PLACES)
 * = 1.0 RADIUS (15 PLACES)



SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	RAGHAVENDRA	29-06-2016
CHECKED		
APPROVED	S.S. GARG	21-07-2016
SCALE		1:1
AREA	mm ²	1027.065
PERIMETER	mm.	445.26
WEIGHT	kg/m	2.773
DRAWING No.	SECTION No.	
P-15986-1	-	
S5037	S5037	

1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983, UNLESS OTHERWISE SPECIFIED	
PARTY'S NAME	OMKAR REALTORS & DEVELOPERS PVT. LTD., MUMBAI
PARTY'S DRAWING No.	AS PER AUTOCAD DRAWING - AP-1585-R3
ALLOY & TEMPER	6063 T6
DESCRIPTION	CURTAIN WALL SECTION