



P-16510

S5198




DETAIL 'A'
SCALE 2:1



V : PIP GROOVE RADIUS 0.4 mm (1 PLACE)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS					
UPTO 6.40mm	-	±0.20	UPTO 32.0mm	-	±0.38
UPTO 10.0mm	-	±0.23	UPTO 50.0mm	-	±0.46
UPTO 12.0mm	-	±0.25	UPTO 60.0mm	-	±0.53
UPTO 16.0mm	-	±0.28	UPTO 80.0mm	-	±0.69
UPTO 25.0mm	-	±0.30	UPTO 100.0mm	-	±0.75

 SYMBOL OF QUALITY AN ISO 9001 COMPANY		JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED			
PARTY'S NAME		RAZZLE, BANGALORE	
PARTY'S DRAWING No.		AS PER DRAWING	
ALLOY & TEMPER		6063 T6	
DESCRIPTION		ARCHITECTURAL SECTION	
DRAWN	KIRAN	NAME	DATE
CHECKED			24-11-2016
APPROVED	B.NATARAU		02-12-2016
SCALE		1:1	
AREA mm ²		410.277	
PERIMETER mm.		358.419	
WEIGHT kg/m		1.108	
DRAWING No.		SECTION No.	
P-16510			
S5198		S5198	