



P-17081

S5399



V = V GROOVE 0.3x90°(2 PLACES)

d : 2.0 mm RADIUS (6 PLACES)

\* : 1.0 mm RADIUS (4 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS	UPTO 6.40mm	UPTO 10.0mm	UPTO 12.0mm	UPTO 16.0mm	UPTO 25.0mm	UPTO 32.0mm	UPTO 50.0mm	UPTO 60.0mm	UPTO 80.0mm	UPTO 100.0mm	UPTO 120.0mm	UPTO 160.0mm	UPTO 200.0mm	UPTO 250.0mm	UPTO 300.0mm
	±0.20	±0.23	±0.25	±0.28	±0.30	±0.38	±0.46	±0.53	±0.69	±0.75	±0.85	±1.02	±1.14	±1.40	±1.65

1. STRAIGHTNESS=1.7mm/M
2. TWIST=1.7mm/M
3. ANGULARITY= ±2°
4. FLATNESS =0.007xWIDTH

		<b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)	
SYMBOL OF QUALITY AN ISO 9001 COMPANY		1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED	
PARTY'S NAME ANGEL FACADE ENGINEERS PVT. LTD., THANE		DRAWN NAME DATE J.P. KAUSHIK 05-05-2017	
PARTY'S DRAWING No. ALUMINIUM FIN		CHECKED APPROVED B. NATHARAJA 13-05-2017	
ALLOY & TEMPER 6063 T6		SCALE 1:1	
DESCRIPTION ARCHITECTURAL SECTION		AREA mm <sup>2</sup> PERIMETER mm. WEIGHT kg/m 1906.954 1019.95 5.149	
DRAWING No. P-17081 S5399		SECTION No. - S5399	