



P-17322-1

S5475



TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65

 SYMBOL OF QUALITY AN ISO 9001 COMPANY		JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981, UNLESS OTHERWISE SPECIFIED			
PARTY'S NAME	NASCENT VENTURES PVT. LTD, BANGALORE		
PARTY'S DRAWING No.	AS PER DRAWING ORION-TR 400W & REQUIREMENT		
ALLOY & TEMPER	6063 T6		
DESCRIPTION	HEAT SINK SECTION		
NAME	J.P.KAUSHIK	DATE	17-08-2017
CHECKED			
APPROVED	B.NATARAJA		17-08-2017
SCALE	1:1		
AREA	mm ²	2200.655	
PERIMETER	mm.	1077.226	
WEIGHT	kg/m	5.942	
DRAWING No.	P-17322-1		SECTION No.
	S5475		

1. STRAIGHTNESS=1.0mm/M
2. TWIST=1.0mm/M
3. ANGULARITY= ±1°
4. FLATNESS =0.007xWIDTHH