


P-17552

S5575



UNSPECIFIED RADIUS 0.5 mm

* = 1.0 RADIUS (6 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

| | | | |
|---------------------|----------------------|----------------------|-----------------------|
| UPTO 6.40mm - ±0.20 | UPTO 32.0mm - ±0.38 | UPTO 120.0mm - ±0.85 | UPTO 320.00mm - ±1.70 |
| UPTO 10.0mm - ±0.23 | UPTO 50.0mm - ±0.46 | UPTO 160.0mm - ±1.02 | |
| UPTO 12.0mm - ±0.25 | UPTO 60.0mm - ±0.53 | UPTO 200.0mm - ±1.14 | |
| UPTO 16.0mm - ±0.28 | UPTO 80.0mm - ±0.69 | UPTO 250.0mm - ±1.40 | |
| UPTO 25.0mm - ±0.30 | UPTO 100.0mm - ±0.75 | UPTO 300.0mm - ±1.65 | |



SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

| | NAME | DATE |
|----------|-------------|------------|
| DRAWN | J.P.KAUSHIK | 11-10-2017 |
| CHECKED | | |
| APPROVED | B.NATARAJA | 08-11-2017 |

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:3965-1981 , UNLESS OTHERWISE SPECIFIED

| | |
|----------------------|----------|
| SCALE | 1:1 |
| AREA mm ² | 1658.991 |
| PERIMETER mm. | 1108.274 |
| WEIGHT kg/m | 4.479 |

| | |
|---------------------|--|
| PARTY'S NAME | PRESSTON ENGINEERING CORPORATION, BANGALORE |
| PARTY'S DRAWING No. | RMD60013CEO_REV_B |
| ALLOY & TEMPER | 6063 T6 |
| DESCRIPTION | DUCT PROFILE |

| DRAWING No. | SECTION No. |
|-------------|-------------|
| P-17552 | - |
| S5575 | S5575 |
| | |
| | |