


P-17555

S5578




UNSPECIFIED RADIUS 0.5 mm

\* = 1.0 RADIUS (6 PLACES)

## TOLERANCES ON OVERALL WIDTHS &amp; WIDTHS ACROSS FLATS OF BARS, &amp; REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

 SYMBOL OF QUALITY AN ISO 9001 COMPANY		<b>JINDAL ALUMINIUM LTD.</b> <b>BANGALORE-560073 (INDIA)</b>		DRAWN J.P.KAUSHIK 11-10-2017	NAME DATE
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED				CHECKED APPROVED <b>B. NATARAJA</b> 08-11-2017	
PARTY'S NAME	PRESSTON ENGINEERING CORPORATION, BANGALORE		SCALE	1:1	
PARTY'S DRAWING No.	RMD60028CEO_REV_		AREA mm <sup>2</sup>	1463.991	
ALLOY & TEMPER	6063 T6		PERIMETER mm.	978.274	
DESCRIPTION	DUCT PROFILE		WEIGHT kg/m	3.953	
			DRAWING No.	SECTION No.	
			P-17555	-	
			S5578	S5578	