


P-17564

S5580



UNSPECIFIED RADIUS 0.5 mm

* = 1.0 RADIUS (4 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	



JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

DRAWN NAME J.P.KAUSHIK DATE 14-10-2017
CHECKED
APPROVED B.NATARAJA 08-11-2017

SYMBOL OF QUALITY
AN ISO 9001 COMPANY

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME PRESTON ENGINEERING CORPORATION, BANGALORE

PARTY'S DRAWING No. RMD60002CEO_REV_B

SCALE 1:1

ALLOY & TEMPER 6063 T6

AREA mm² 1829.419

DESCRIPTION DUCT PROFILE

PERIMETER mm. 1049.562

PARTY'S DRAWING No. RMD60002CEO_REV_B

WEIGHT kg/m 4.939

DESCRIPTION DUCT PROFILE

DRAWING No. SECTION No.

PARTY'S DRAWING No. RMD60002CEO_REV_B

DRAWING No. SECTION No.

ALLOY & TEMPER 6063 T6

DESCRIPTION DUCT PROFILE