



V = V GROOVE 0.3x90° (3 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

**JINDAL**  
 SYMBOL OF QUALITY  
 AN ISO 9001 COMPANY

**JINDAL ALUMINIUM LTD.**  
 BANGALORE-560073 (INDIA)

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	KIRAN MEDICAL SYSTEMS, NAVI MUMBAI	
PARTY'S DRAWING No.	AS PER AutocAD DRAWING	
ALLOY & TEMPER	6063 T6	
DESCRIPTION	MISC. SECTION	
NAME	J.P.KAUSHIK	DATE
CHECKED		
APPROVED	B.MATARAJA	21-07-2018
SCALE	1:1	
AREA	mm <sup>2</sup>	3602.495
PERIMETER	mm.	812.053
WEIGHT	kg/m	9.727
DRAWING No.	P-18420	
SECTION No.	-	
	S5935	S5935