


P-19698-1

S6344



PLEASE SPECIFY THE EXPOSED SURFACE IN THE DRAWING WHEREVER BETTER FINISH REQUIRED.
TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	



SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER IS:3965-1981 , UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	MIDAS ARCHITECTURAL SYSTEMS LLP., MUMBAI	DRAWN	NAME	DATE
PARTY'S DRAWING No.	AS PER DRAWING FLASHING 1 & REQUIREMENT	CHECKED	DARPAN	24-06-2019
ALLOY & TEMPER	6063 T6	APPROVED	B.NATARAJA	04-07-2019
DESCRIPTION	MISC. SECTION	SCALE		1:1
		AREA mm ²		1157.773
		PERIMETER mm.		768.185
		WEIGHT kg/m		3.126
		DRAWING No.		SECTION No.
		P-19698-1		-
		S6344		S6344