






P-19758-1

S6396



C = CHAMFER 2x45° (30 PLACES)
X = RADIUS 1 mm. (11 PLACES)
V = VEE GROOVE 0.3x90° (8 PLACES)



<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>	<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	NAME	DATE
		DRAWN	PARVESH 09-07-2019
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 , UNLESS OTHERWISE SPECIFIED</p>	<p>PARTY'S NAME ALUPLEX INDIA PVT. LTD., MUMBAI</p> <p>PARTY'S DRAWING No. AS PER AUTOCAD DRAWING-AP-1921R1</p> <p>ALLOY & TEMPER 6063 T6</p> <p>DESCRIPTION CURTAIN WALL SECTION-AL-14</p>	CHECKED	
		APPROVED	B.NATARAJA 07-08-2019
		SCALE	1:1
		AREA mm ²	4170.089
		PERIMETER mm.	1161.78
		WEIGHT kg/m	11.259
		DRAWING No.	SECTION No.
		P-19758-1	-
		S6396	S6396