







P-19909-1

S6443



* = R1 (15 PLACES)
F = FULL RADIUS (22 PLACES)



TOLERANCES ON OVERALL DIMENSIONS OF HOLLOW SECTIONS

UPTO 20.0mm - ±0.30	UPTO 80.0mm - ±0.70	UPTO 180.0mm - ±1.27
UPTO 30.0mm - ±0.38	UPTO 100.0mm - ±0.80	UPTO 200.0mm - ±1.40
UPTO 40.0mm - ±0.45	UPTO 120.0mm - ±0.90	UPTO 225.0mm - ±1.52
UPTO 50.0mm - ±0.52	UPTO 140.0mm - ±1.00	
UPTO 60.0mm - ±0.60	UPTO 160.0mm - ±1.14	

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>	<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	<p>DRAWN NAME: DARPAN DATE: 02-08-2019</p>
		<p>CHECKED</p>
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED</p>		<p>APPROVED B.NATARAJA 14-08-2019</p>
<p>PARTY'S NAME: LOMA CO-DEVELOPERS 2 PRIVATE LIMITED., NAVI MUMBAI.</p>		<p>SCALE: 1:1</p>
<p>PARTY'S DRAWING No.: AS PER AUTOCAD DRAWING 20010899</p>		<p>AREA mm²: 1641.621</p>
<p>ALLOY & TEMPER: 6063 T6</p>		<p>PERIMETER mm.: 673.496</p>
<p>DESCRIPTION: CURTAIN WALL SECTION</p>		<p>WEIGHT kg/m: 4.432</p>
<p>DRAWING No.: P-19909-1</p>		<p>SECTION No.:</p>
<p>DRAWING No.: S6443</p>		<p>DRAWING No.: S6443</p>