






P-20570

S6680



V = V GROOVE 0.3x90° (2 PLACES )  
 \* = 1.0 RADIUS ( 4 PLACES )  
 F = FULL RADIUS ( 4 PLACES )

TOLERANCES ON OVERALL DIMENSIONS OF HOLLOW SECTIONS

UPTO 20.0mm - ±0.30	UPTO 80.0mm - ±0.70	UPTO 180.0mm - ±1.27
UPTO 30.0mm - ±0.38	UPTO 100.0mm - ±0.80	UPTO 200.0mm - ±1.40
UPTO 40.0mm - ±0.45	UPTO 120.0mm - ±0.90	UPTO 225.0mm - ±1.52
UPTO 50.0mm - ±0.52	UPTO 140.0mm - ±1.00	
UPTO 60.0mm - ±0.60	UPTO 160.0mm - ±1.14	

<p><b>JINDAL</b>                  SYMBOL OF QUALITY                  AN ISO 9001 COMPANY</p>	<p><b>JINDAL ALUMINIUM LTD.</b>                  BANGALORE-560073 (INDIA)</p>	
	<p>1. ALL DIMENSIONS ARE IN mm.                  2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.                  3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED</p>	<p>1. STRAIGHTNESS=1.7mm/M                  2. TWIST=1.7mm/M                  3. ANGULARITY= ±2°                  4. FLATNESS =0.006xWIDTH</p>

PARTY'S NAME	GLAZIUM FACADES PVT. LTD., PUNE	DRAWN	J.P. KAUSHIK	DATE	02-01-2020
PARTY'S DRAWING No.	AS PER DRAWING	CHECKED		APPROVED	B.NATARAJA
ALLOY & TEMPER	6063 T6	SCALE	25-01-2020		
DESCRIPTION	CURTAIN WALL SECTION	DRAWING No.	P-20570	SECTION No.	-
			S6680		S6680