


**NOTE:-**  
**r= 0.40 RADIUS (6 PLACES)**  
**UNSPECIFIED CORNER RADIUS 0.5 mm**

1. STRAIGHTNESS= 1.7mm/M
2. TWIST= 1.7mm/M
3. ANGULARITY=  $\pm 2^\circ$
4. FLATNESS= 0.007xWIDTH

Q03245

CONTROLLED COPY

<div></div> <div>SYMBOL OF QUALITY AN ISO 9001 COMPANY</div>	<div>JINDAL ALUMINIUM LTD.</div> <div>BHIWADI-301019 (INDIA)</div>			NAME	DATE
			DRAWN	ASHUTOSH	26-05-2025
			CHECKED	PARVESH	11-06-2025
			APPROVED	J.N.RAI	11-06-2025
<div>1. ALL DIMENSIONS ARE IN mm.</div> <div>2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm.</div> <div>3. TOLERANCES WILL BE AS PER BS:EN-755-9 , UNLESS OTHERWISE SPECIFIED</div>			SCALE		1:1
			AREA mm <sup>2</sup>		1522.913
			PERIMETER mm.		777.687
			WEIGHT kg/m		4.112
PARTY'S NAME	ATCO ALUMINIUM SYSTEM, DELHI		DRAWING No.		SECTION No.
PARTY'S DRAWING No.			LIGHTER SECTION OF G101075		
ALLOY & TEMPER	6063 T6	PRODUCT CODE:-086		P-JAL-B-1063	7000004359
		HSN CODE:- 76042100		X104026	X104026
DESCRIPTION	CONVEYOR SECTION				