


A = 1.00mm RADIUS (4 PLACES)
 B = 1.75mm RADIUS (2 PLACES)
 F = FULL RADIUS (8 PLACES)
 V = VEE GROOVE 0.3 DEEPx90° (1 PLACE)

UNSPECIFIED WALL THICKNESS = 1.75mm
 ALL UNSPECIFIED RADIUS TO BE 0.40mm

 JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)		SYMBOL OF QUALITY AN ISO 9001 COMPANY	
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER EN12020-2:2001 UNLESS OTHERWISE SPECIFIED		SCALE 3:1	
PARTY'S NAME KOMFORT OFFICE ENVIRONMENTS PLC-U.K		AREA mm ² 517.86	
PARTY'S DRAWING No. D4/DGP1/0000-ISSUE-2		PERIMETER mm. 412	
ALLOY & TEMPER 6063 T6		WEIGHT kg/m 1.398	
DESCRIPTION DOUBLE GLAZED POLAR HEAD/WALL GLAZING CHANNEL		DRAWING No. P-6735-1	
		SECTION No. -	
		DRAWN NAME RAGHAVENDRA07-11-2006	
		CHECKED DATE	
		APPROVED	
		DRAWING No. 21169	
		SECTION No. X1127	