



P-10516-1

X1420



FLATNESS :- FOR 120 mm  $\pm 0.45$  mm  
 FLATNESS :- FOR 203 mm  $\pm 0.90$  mm  
 STRAIGHTNESS :- 1.5 mm/M

$\alpha$  = 1.27 RADIUS (4 PLACES)  
 x = 6.35 RADIUS (2 PLACES)  
 F = FULL RADIUS ( 2 PLACES)  
 \* = 2.28 RADIUS (4 PLACES )

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	<b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)	NAME	DATE
		DRAWN	J.P.KAUSHIK 28-10-2010
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER BS:EN-755 UNLESS OTHERWISE SPECIFIED		CHECKED	
		APPROVED	S.S.GARG 11-11-2010
PARTY'S NAME DA-LITE SCREEN COMPANY,USA		SCALE	1:1
		AREA mm <sup>2</sup>	1291.602
PARTY'S DRAWING No. 37855		PERIMETER mm.	739.072
		WEIGHT kg/m	3.487
ALLOY & TEMPER 6005 T5		DRAWING No.	SECTION No.
		P-10516-1	-
DESCRIPTION MISC. SECTION		X1420	X1420