



P-16005-2

X2099



SCALE: - 1:1



Z = RADIUS 1.1 mm. (16 PLACES)  
 X = RADIUS 0.5 mm. (8 PLACES)

FLATNESS :-  $\begin{matrix} +0.0 \\ -0.5 \end{matrix}$  (CONCAVE) FOR ALL SIDE

UNSPECIFIED CORNERS RADIUS WILL BE 0.30 mm.



SYMBOL OF QUALITY  
 AN ISO 9001 COMPANY

**JINDAL ALUMINIUM LTD.**  
 BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	PARVESH	26-10-2016
CHECKED		
APPROVED	B. NATRAJ	28-10-2016
SCALE		2:1
AREA mm <sup>2</sup>		548.495
PERIMETER mm.		325.84
WEIGHT kg/m		1.481
DRAWING No.	SECTION No.	
P-16005-2	-	
X2099	X2099	

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER ANSI:H35.2-2009 , UNLESS OTHERWISE SPECIFIED

PARTY'S NAME	UNIVERSAL FABRICATING, CANADA
PARTY'S DRAWING No.	PAH-33214 'A'
ALLOY & TEMPER	6063 T6
DESCRIPTION	DISPLAY SECTION