




P-16847

X2129



F = FULL RADIUS (2 PLACES)

| | | | | |
|--|--|----------------------|-------------|------------|
|  SYMBOL OF QUALITY AN ISO 9001 COMPANY | JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA) | NAME | DATE | |
| | | DRAWN | J.P.KAUSHIK | 28-02-2017 |
| | | CHECKED | | |
| | | APPROVED | B.NATARAJ | 15-03-2017 |
| 1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED | | SCALE | 3:1 | |
| | | AREA mm ² | 198.159 | |
| | | PERIMETER mm. | 194.819 | |
| PARTY'S NAME | FIRMONYX SOLUTIONS PTY LTD., AUSTRALIA | WEIGHT kg/m | 0.535 | |
| PARTY'S DRAWING No. | AS PER AutoCAD DRAWING | DRAWING No. | SECTION No. | |
| ALLOY & TEMPER | 6063 T6 | P-16847 | - | |
| DESCRIPTION | MISC. SECTION | X2129 | X2129 | |