


R = R2.0 mm (8 PLACES)  
 S = R2.5 mm (8 PLACES)

|  |   |  |                                      |                                     |                                    |
|--|---|--|--------------------------------------|-------------------------------------|------------------------------------|
| <br>SYMBOL OF QUALITY<br>AN ISO 9001 COMPANY                      |   | <b>JINDAL ALUMINIUM LTD.</b><br>BANGALORE-560073 (INDIA) |                                      | DRAWN<br>J.P. KAUSHIK<br>19-07-2017 | NAME<br>J.P. KAUSHIK<br>19-07-2017 |
| 1. ALL DIMENSIONS ARE IN mm.<br>2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.<br>3. TOLERANCES WILL BE AS PER IS:6477-1983 UNLESS OTHERWISE SPECIFIED |   | APPROVED<br>B. NATARAJA<br>22-07-2017                    | CHECKED<br>B. NATARAJA<br>22-07-2017 | SCALE<br>1:1                        | DATE<br>22-07-2017                 |
| PARTY'S NAME<br>ALUMINIUM TRADING CO., NEW DELHI   | PARTY'S DRAWING No.<br>AS PER X1182 & REQUIREMENT | AREA mm <sup>2</sup><br>4651.336                         | PERIMETER mm.<br>1016.889            | WEIGHT kg/m<br>12.559               | SECTION No.<br>12.559              |
| ALLOY & TEMPER<br>6005 T6  | DESCRIPTION<br>TENT HOUSE. SECTION                | DRAWING No.<br>P-13640-3                                 | SECTION No.<br>-                     | DRAWING No.<br>X2224                | SECTION No.<br>-                   |