


P-18806-1

X2423




320.17 REF.
RAD. CEN. POINT

341.48

PLEASE SPECIFY THE EXPOSED SURFACE IN THE DRAWING WHEREVER BETTER FINISH REQUIRED.
TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65

UPTO 320.00mm - ±1.70



JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

1. ALL DIMENSIONS ARE IN mm.
2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
3. TOLERANCES WILL BE AS PER ANSI:H35.2-2009, UNLESS OTHERWISE SPECIFIED

SYMBOL OF QUALITY AN ISO 9001 COMPANY		NAME		DATE	
PARTY'S NAME		DRAWN		DRAWN	
PARTY'S DRAWING No.		CHECKED		DARPAN	
ALLOY & TEMPER		APPROVED		B.NATARAJA	
DESCRIPTION		SCALE		09-11-2018	
		AREA mm ²		8149.992	
		PERIMETER mm.		824.641	
		WEIGHT kg/m		22.005	
		DRAWING No.		SECTION No.	
		P-18806-1		-	
		X2423		X2423	