


P-17553
S5576
X2553




UNSPECIFIED RADIUS 0.5 mm

\* = 1.0 RADIUS (6 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS

UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	UPTO 320.00mm - ±1.70
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

 <p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>		<p><b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)</p>		<p>DRAWN NAME: J.P.KAUSHIK</p> <p>DATE: 11-10-2017</p>
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED</p>				<p>CHECKED</p> <p>APPROVED <b>B. NATARAJA</b> 08-11-2017</p>
PARTY'S NAME	PRESSTON ENGINEERING CORPORATION, BANGALORE	SCALE	1:1	
PARTY'S DRAWING No.	RMD60013CEO_REV_B	AREA mm <sup>2</sup>	1463.991	
ALLOY & TEMPER	6063 T6	PERIMETER mm.	978.274	
DESCRIPTION	DUCT PROFILE	WEIGHT kg/m	3.953	
		DRAWING No.	SECTION No.	
		P-17553	-	
		S5576	S5576	
		X2553	X2553	