



P-17564
S5580
X2557



UNSPECIFIED RADIUS 0.5 mm

\* = 1.0 RADIUS (4 PLACES)

TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS		
UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65
		UPTO 320.00mm - ±1.70

 SYMBOL OF QUALITY AN ISO 9001 COMPANY		<b>JINDAL ALUMINIUM LTD.</b> BANGALORE-560073 (INDIA)		DRAWN U.P.KAUSHIK 14-10-2017	NAME DATE
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:3965-1981 UNLESS OTHERWISE SPECIFIED				CHECKED APPROVED B.NATARAJA 08-11-2017	
PARTY'S NAME	PRESTON ENGINEERING CORPORATION, BANGALORE		SCALE	1:1	
PARTY'S DRAWING No.	RMD60002CEO_REV_B		AREA mm <sup>2</sup>	1829.419	
ALLOY & TEMPER	6063 T6		PERIMETER mm.	1049.562	
DESCRIPTION	DUCT PROFILE		WEIGHT kg/m	4.939	
	DRAWING No.	SECTION No.			
	P-17564	-			
	S5580	S5580			
	X2557	X2557			