




P-20088-1
X2614



TOLERANCES ON OVERALL WIDTHS & WIDTHS ACROSS FLATS OF BARS, & REGULAR SECTIONS			
UPTO 6.40mm - ±0.20	UPTO 32.0mm - ±0.38	UPTO 120.0mm - ±0.85	1. STRAIGHTNESS=1.7mm/M 2. TWIST=1.7mm/M 3. ANGULARITY= ±2° 4. FLATNESS =0.007xWIDTH
UPTO 10.0mm - ±0.23	UPTO 50.0mm - ±0.46	UPTO 160.0mm - ±1.02	
UPTO 12.0mm - ±0.25	UPTO 60.0mm - ±0.53	UPTO 200.0mm - ±1.14	
UPTO 16.0mm - ±0.28	UPTO 80.0mm - ±0.69	UPTO 250.0mm - ±1.40	
UPTO 25.0mm - ±0.30	UPTO 100.0mm - ±0.75	UPTO 300.0mm - ±1.65	

JINDAL ALUMINIUM LTD.		NAME		DATE	
 SYMBOL OF QUALITY AN ISO 9001 COMPANY		DRAWN		PARVESH 03-12-2019	
		CHECKED			
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER IS:6477-1983 , UNLESS OTHERWISE SPECIFIED		APPROVED		B.NATARAJA 01-01-2020	
		SCALE		2:1	
PARTY'S NAME FUTURE INTERIOR GROUP, LUCKNOW		AREA mm ²		1540.561	
		PERIMETER mm.		614.336	
PARTY'S DRAWING No. AS PER REQUIREMENT		WEIGHT kg/m		4.160	
		DRAWING No.		SECTION No.	
ALLOY & TEMPER 6063 T6		P-20088-1		-	
		X2614		X2614	
DESCRIPTION WINDOW SECTION-3 TRACK TOP & BOTTOM					