




P-20753

X2641



TOLERANCE CHART CD = CIRCUMSCRIBING CIRCLE

CD ≤ 100	100 < CD ≤ 200	200 < CD < 300	300 < CD < 500
UPTO 10mm - ±0.25	±0.30	±0.35	±0.40
10.0 - 25.0 - ±0.30	±0.40	±0.50	±0.60
25.0 - 50.0 - ±0.50	±0.60	±0.80	±0.90
50.0 - 100.0 - ±0.70	±0.90	±1.10	±1.30
100 - 150 - -	±1.10	±1.30	±1.50
150 - 200 - -	±1.3	±1.50	±1.80
200 - 300 - -	-	±1.70	±2.10
300 - 450 - -	-	-	±2.80



SYMBOL OF QUALITY
AN ISO 9001 COMPANY

JINDAL ALUMINIUM LTD.
BANGALORE-560073 (INDIA)

	NAME	DATE
DRAWN	J.P.KAUSHIK	15-02-2020
CHECKED		
APPROVED	B.NATARAJA	05-03-2020

- ALL DIMENSIONS ARE IN mm.
- ROUND OFF ALL SHARP CORNERS WITH 0.40 mm.
- TOLERANCES WILL BE AS PER,ANSI:H35.2-2009 UNLESS OTHERWISE SPECIFIED

SCALE	3:1
AREA mm ²	70.542
PERIMETER mm.	112.922
WEIGHT kg/m	0.190

PARTY'S NAME	ALUMINIUM F/X , CANADA	DRAWING No.	P-20753	SECTION No.	-
PARTY'S DRAWING No.	AS PER DRAWING		X2641		X2641
ALLOY & TEMPER	6063 T6				
DESCRIPTION	MISC. SECTION				