



P-16003-1


X2669



Z = RADIUS 1.1 mm. (24 PLACES)
 X = RADIUS 2.3 mm. (16 PLACES)
 C = RADIUS 0.5 mm. (32 PLACES)

DETAIL OF "A"
 SCALE 2:1

UNSPECIFIED CORNERS RADIUS WILL BE 0.30 mm.

 SYMBOL OF QUALITY AN ISO 9001 COMPANY	JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)	NAME	DATE
		DRAWN	PARVESH 26-05-2020
		CHECKED	
		APPROVED	B.NATARAJA 02-06-2020
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER ANSI:H35.2-2009 , UNLESS OTHERWISE SPECIFIED		SCALE	1:1
		AREA mm ²	1449.364
		PERIMETER mm.	658.533
PARTY'S NAME	UNIVERSAL FABRICATING, CANADA	WEIGHT kg/m	3.913
PARTY'S DRAWING No.	UH-33215 'A'	DRAWING No.	SECTION No.
ALLOY & TEMPER	6063 T6	P-16003-1	-
DESCRIPTION	DISPLAY SECTION	X2669	X2669