


ISSUE - 2
 TOLERANCE CHANGED FROM 1.8^{+0.00}_{-0.30} TO 1.8^{+0.10}_{-0.20}

x = RADIUS 0.50 mm. (6 PLACES)
 * = RADIUS 1 mm. (4 PLACES)
 F = FULL RADIUS (4 PLACES)

 SYMBOL OF QUALITY AN ISO 9001 COMPANY		JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)		DRAWN	J.P.KAUSHIK	DATE	25-08-2020
				CHECKED			
1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.40 mm. 3. TOLERANCES WILL BE AS PER AS/NZS:1866-1997 UNLESS OTHERWISE SPECIFIED		PARTY'S NAME R & B ALUMINIUM, NEW ZEALAND		APPROVED	J.N.RAI		26-08-2020
				SCALE			2:1
PARTY'S DRAWING No.		37081-RB-479 & REQUIREMENT		AREA	mm ²	588.869	
ALLOY & TEMPER		6060 T5		PERIMETER	mm.	384.015	
DESCRIPTION		DOOR SECTION		WEIGHT	kg/m	1.590	
				DRAWING No.		SECTION No.	
				P-20818-4			
				X2677		X2677(ISSUE-2)	