



SECTION IS SYMMETRICAL ABOUT CENTRE LINE

GENERAL WALL THICKNESS = 1.70 mm
 V = VEE GROOVE 0.25x90° (2 PLACES)
 R = R2.50 mm (14 PLACES)
 UNSPECIFIED RADIUS IS R0.50 mm

<p>SYMBOL OF QUALITY AN ISO 9001 COMPANY</p>		<p>JINDAL ALUMINIUM LTD. BANGALORE-560073 (INDIA)</p>	
<p>1. ALL DIMENSIONS ARE IN mm. 2. ROUND OFF ALL SHARP CORNERS WITH 0.50 mm. 3. TOLERANCES WILL BE AS PER BS:EN-755 UNLESS OTHERWISE SPECIFIED</p>		<p>SCALE 1:1 AREA mm² 1506.007 PERIMETER mm. 1025.799</p>	
PARTY'S NAME	SYNSEAL EXTRUSIONS LTD., U.K	DRAWING No.	SECTION No.
PARTY'S DRAWING No.	XLRF20	P-8041-2	-
ALLOY & TEMPER	6063 T6	X835	X835
DESCRIPTION	RIDGE FIXED 20DEG TO SUIT 25 mm		
NAME	DATE	NAME	DATE
DRAWN	PRASANNA.H 10-04-2008	CHECKED	
CHECKED		APPROVED	
SCALE	1:1	WEIGHT kg/m	4.066
AREA mm ²	1506.007	DRAWING No.	SECTION No.
PERIMETER mm.	1025.799	P-8041-2	-
		X835	X835