



ASSEMBLY



001	(F)	DIM. 1.93 WAS 2.0
-----	-----	-------------------

LOCATION:- P1 - 4 HOLE
 ALL DIMENSION ARE IN mm.
 UNSPECIFIED CORNER RADIUS:0.40

PLEASE SPECIFY THE EXPOSED SURFACE

TOL. AS PER BS EN 755-9:2008
 UNLESS SPECIFIED

TWIST= ±1/4°/300 M.M.
 FLATNESS= WIDTH X 0.005mm.
 STRAIGHTNESS= 1.50 M.M./MTR.
 ANGULARITY= ±1.5°

INDO ALUSYS INDUSTRIES LIMITED BHIWADI RAJASTHAN - 301019

PARTY SAMPLE & DRG.		SAMPLE	PARTY NAME M/S PERFECT SOLUTIONS			REF:- AS PER IOM Dt.-09.07.16		
001	(E)	DIM. 9.10 WAS 8.86	DRAWN	DHARMVIR	28.07.16	AREA	76.28	MM ²
	(C)(D)	DIM. 18.60, 5.90 ADDED	CHECKED	SrB.		WEIGHT	0.206	KG/M.
	(B)	DIM. 0.90 WAS 1.00	APPROVED	21/11/17		WT. RANGE	-----	Kg/12
	(A)	DIM. 19.80 WAS 19.40	SCALE	1:1 & 3:1	DATE	ALLOY	6063-T6	
	(REF.)	AS PER DISC. WITH Tool Room Manager, dt-26.12.16	CRITICAL DIM.	*		MAL NO	15651	
REV. STATUS	REV. NO.	DESCRIPTION	SIGN DATE	PERIMETER	INT.		SEC.NO.	D-6744
A4		REVISION			EXT.	129.18		